Guangzhou Hima Lighting Technical Co., Ltd								
Ŀ	TEL:020-37617765 FAX:020-37617795 Add: RmA922, #818 Congyun Rd, Baiyun District, Guangzhou, China. 510000							
WEB:www.hima.cc Contact: info@hima.cc								
No.	HIMA Code	Pictures	Dimensions	Size	LED Brand	Price	Description	
1	TM-0875			7"	Philips		Headlight and Driving Light Operating Voltage:Dc10-32V Theory Power:70W Color temperature:6000K Low beam:0.25&@12V, 0.51A@24V How beam:3.35A@12V, 1.68A@24V DRL: 1.16A@12V, 0.55A@24V Waterproof:IP67 Packaging:6pcs/Carton Main Structure feature: 1,Headlight:High beam +low beam and Daytime running light function 2.Applicable for popular vehicles 3,Can be used for driving light if additional bracket added	
2	FDL-0670		⁹⁰	7"	Philips		Headlight and Driving Light Operating Voltage:DC10-32V Theory Power:70W Color temperature:6000K Low beam:0.25&@12V, 0.51A@24V How beam:3.35A@12V, 1.68A@24V DRL: 1.16A@12V, 0.55A@24V Waterproof:IP67 Packaging:6pcs/Carton Main Structure feature: 1. HIMA's independent developed Real 4D optics, provide more light output 2.High beam alow beam and Daytime running light function 3.Applicable for popular vehicles 4.Can be used for driving light if additional bracket added	
3	FDL-0660			7"	Philips		Head Light Operating Voltage:DC10-32V Color temperature:5700-6000K Low beam:2.07@12V;1.03@24V High beam: 2.15@12V;1.09@24V Waterproci:IP67 Lifespan:Above 50000 hours Packaging: 6pcs/Carton Main Structure feature: 1.Can directly replace the original headlights of the JEEPs 2.High beam +Low beam pattern and daytime running light 3.New Optics provide a high intensity light output	
4	FDL-0630			7"	Cree		Head Light Operating Voltage:DC10-32V Theory Power:30W Color temperature:6000K Highbeam:1.80@12V;0.89@24V Lowbeam: 0.91@12V;0.84@24V Waterproof:IP67 Lifespan:Above 50000 hours Packaging: §pcs/Carton Unique features: 1.Internal structure reflector, provides a smooth and clean lighting output 2.High beam and Low beam pattern 3. Excellent option for Jeeps, heavy-duty trucks and all Off-road application	
5	FDL-0620			7"	Osram		Driving Light Operating Voltage:DC10-32V Theory Power:20W Color temperature:6000K AMP draw:1.89@12V 0.94@24V Waterproof:IP67 Packaging: 6pcs/Carton Main Structure feature: 1.Internal structure reflector, provides a smooth and clean lighting output 2.Perfect driving beam for roadway illumination 3.High-performance at very low power consumption	
6	FDL-0880		99mm ump02 52mm 31mm	7"	Osram		Driving Light Operating Voltage:DC10-32V Theory Power:80W Color temperature:5700-6000K AMP draw:5.0A@12V, 2.4A@24V Waterproof:IP67 Packaging: 6pcs/Carton Main Structure feature: Super spot beam and providing a far projecting distance	
7	FDL-901			4"	Osram		Fog Light Operating Voltage:DC10-32V Theory Power:12W Color Temperature:6000K DR1:0.59@12V;0.31@24V Fog light: 0.33@12V;0.16@24V Waterproof:IP67 Lifespan:Above 50000 hours Packaging: Bplir S/Carton Unique features: 1.Perfect lighting output at low energy consumption 2. Fog light with daytime running light function	

8	TK-0110		74.50 0005	2"	Cree	Operating Voltage:DC10-32V Theory Power:10W Color temperature:6000K AMP draw:0.83@12V;0.45@24V Waterproof:IP67 Lifespan:Above 50000 hours Beam pattern:spot/flood Main Structure feature: 1.Expandable Modular driving light: can be linked or stacked togeter to make multiple arrays according to customers demand 2.Hight power LED combines with precision refirector optics, provide a high output. 3.Excellent beam pattern, super tight spot 4. Perfect for Motocycle,Jeep,Truck &SUV
9	FDL-0309		1.625* 3* 2* 2x @'/.**	3"	Philips	Rock Light Operating Voltage:DC10-32V Theory Power:3W LED Color available: white color Color temperature:6000K Waterproof:IP67 Lifespan:Above 50000 hours Packaging:Bpcs/small carton Main Structure feature: 1.Extremely versatile; it can be used as a dome light in the truck, a deck light on the boat, or driving lights on the trailer 2. High quality LED chips: low power consumption while provides high lighting efficiency 3. Dust and water resistance, anti-scratch 4. Stick-on-surface mounting design, side or bottom wiring available
10	FDL- 0615R	subject of the second sec	143.50 77.00	5.5"	Philips	Driving Light Operating Voltage:DC10-32V Theory Power:15W Color temperature:5700-6000K AMP draw:125@12V 0.62@24V Waterproof:IP67 Main Structure feature: 1. Hima's exclusive developed Real 4D optics, providing further projecting distance 2.High beam +low beam and Daytime running light function
11	FDL-1930		159.8mm	6"	Cree	ATV/UTV Light Operating Voltage:DC10-32V Theory Power:30W LED Color available: white color Color temperature:6000K AMP draw:2.2@12V;1.03@24V Waterproof:IP67 Lifespan:Above 50000 hours Packaging: 10pcs/ carton Applicable for ATV,SUV,Jeep,UTV,4x4,Motorcycle etc.
12	FDL-1942		159.8mm I Solution I S	6"	Philips	ATV/UTV Light Operating Voltage:DC10-32V Theory Power:30W LED Color available: white color Color temperature:6000K AMP draw:2.3@12V;1.1@24V Waterproof:IP67 Lifespan:Above 50000 hours Packaging: 10pcs/ carton Applicable for ATV,SUV,Jeep,UTV,4x4,Motorcycle etc.
13	DM-0312		79 <i>LL</i> <i>L8</i>	3"	Philips	Driving Light Operating Voltage:DC10-32V Theory Power:20W Color Temperature:5700-6000K Waterproof:IPG7 Packaging:20pcs/Carton Unique features: HIMA's exclusive developed Real 4D optics, providing a further projecting distance
14	DM- 0312A			3"	Philips	Driving Light Operating Voltage:DC9-32V Power:20W Color Temperature:5700-6000K Waterproof:IP67 Packaging: 20pcs/Carton Unique features: Same as the DM-0312 with flush mount option
15	BK03-20		79 10 10 10 10 10 10 10 10 10 10	3"	Osram	Driving Light Operating Voltage:DC10-32V Theory Power:20W Color Temperature:6000K Waterproof:IP67 Packaging:20pcs/Carton Main structure feature: Unique convex optics,providing a super spot lighting output

16	BK03-20A			3"	Osram	Driving Light Operating Voltage:DC10-32V Theory Power:20W Color Temperature:6000K Waterproof:IP67 Packaging:20pcs/Carton Main structure feature: Same advantage as BK03-20 with Flush mount option
17	DM04-18			4.5"	Philips	Driving Light Operating Voltage:DC10-32V Theory Power:30W Color Temperature:6000K Waterproof:IP67 Packaging:20pcs/Carton Main structure feature: 1,Hima's exlusive developed Real 4D optics,providing a further projecting distance 2,Bottom slide bracket, can meet different installation demands
18	FDL- 5420S2			5.4"	Cree	Driving Light and Work light Theory Power: 20W Operating Voltage: 10-30V Current: 1.7A @12V, 0.85A@24V Color Temperature: 600K Operationg Temperature: -40°C~ +60°C Waterproof Rate: IP67 Optical Color: White, Amber Mounting Bracket: staineless steel bracket Life Span: above 50000 hours Dimensions: 138°50°85mm Especially for agriculture Tractors
Important Notice: 1. Delivery time:Base on 100% strict testing,normally sample orders 5-7working days,regular oders around 15 working days.						
2.Transportation:By Sea/Air/FeDex/DHL/UPS.						
		packing: All products will be packed with stand	dard plain box under EXW term if no	speica	I requests	from customers.
4. P	ayment:	r/T,Paypal are accepted.				
5. Declared Value: Normally we declare full value for customs clearance;						

6. For sample order, we suggest to order by cartons for each size so as to save shipping cost and protect your goods from damage during shipping.